

Wagon type: Eanos																
PAYLOAD																
Load limits	<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>S</td> <td>36,5</td> <td>44,5</td> <td>52,5</td> <td>62,5</td> </tr> <tr> <td>120</td> <td colspan="4">00,0</td> </tr> </tbody> </table>		A	B	C	D	S	36,5	44,5	52,5	62,5	120	00,0			
	A	B	C	D												
S	36,5	44,5	52,5	62,5												
120	00,0															
Tare weight	27,5 t															
DIMENSIONS																
Length over buffers	15.740 m															
Loading capacity	82,6 m ³															
Load Area	39,3 m ²															
Loading length	14.484 m															
Loading width	2.716 mm															
Distance between bogie centres	10.700 mm															
Height of floor	1.238 mm															
TECHNICAL DATA																
Bogie	Y25Lsd1 (K)															
Handbrake	operated from ground															
Wheelsets	BA 004															
Axle load	22,5t															
Brake	KE-GP-A 12"															
Max Brake Load	59,0t															
OPERATION																
Gauge	TEN GE/G1															
Ramp angle	2,5°															
Smallest navigable track curve (single car)	35 m															



ZUG RENTALS



